


0320



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

David A. Richard

Serial No.: 09/821,667

Filed: March 29, 2001

Title: A VARIABLE TRANSMITTANCE
BIREFRINGENT DEVICE

Examiner:

Group Art Unit: 2873

July 25, 2001

Irvine, California 92614


LETTER

Assistant Commissioner of Patents
Customer Service Center, Initial Patent Examination Division
Washington, DC 20231

Dear Sir:

In response to the Notice to File Corrected Application Papers dated May 25, 2001,
enclosed is a substitute specification, four (4) sheets of substitute formal drawings and a copy of
the notice.

If there are any questions with regard to this matter, please do not hesitate to contact the
undersigned attorney.

I hereby certify that this correspondence is
being deposited with the U.S. Postal Service
as first class mail in an envelope addressed to:
Box Issue Fee, Assistant Commissioner for
Patents, Washington, DC 20231, on
July 25, 2001, by Candy Neu


Signature


July 25, 2001
Date of Signature

Very truly yours,

PRICE AND GESS

Bradley D. Blanche Reg. No. 38,387
2100 S.E. Main St., Ste. 250
Irvine, CA 92614
949/261-8433

09821667-0320



UNITED STATES PATENT AND TRADEMARK OFFICE

COMMISSIONER FOR PATENTS
UNITED STATES PATENT AND TRADEMARK OFFICE
WASHINGTON, D.C. 20231
www.uspto.gov

APPLICATION NUMBER	FILING/RECEIPT DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
09/821,667	03/29/2001	David A. Richard	VTE1-BO14

CONFIRMATION NO. 6167

FORMALITIES LETTER



OC00000006118887

Price and Gess
Suite 250
2100 S.E. Main Street
Irvine, CA 92614-6238

Date Mailed: 05/25/2001

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

This application has been accorded an Application Number and Filing Date. The application, however, is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given **TWO MONTHS** from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a)

The required item(s) identified below must be timely submitted to avoid abandonment:

- A substitute specification in compliance with 37 CFR 1.52 because:
 - Line spacing on the specification, claims, or abstract is not 1-1/2 or double spaced (See 37 CFR 1.52(b)).
- Substitute drawings in compliance with 37 CFR 1.84 because:
 - drawing sheets do not have the appropriate margin(s) (see 37 CFR 1.84(g)). Each sheet must include a top margin of at least 2.5 cm. (1 inch), a left side margin of at least 2.5 cm. (1 inch), a right side margin of at least 1.5 cm. (5/8 inch), and a bottom margin of at least 1.0 cm. (3/8 inch);

*A copy of this notice **MUST** be returned with the reply.*

Customer Service Center

Initial Patent Examination Division (703) 308-1202

PART 2 - COPY TO BE RETURNED WITH RESPONSE

09/821,667